

SYMBIO Biomonitoring System

Basic data

WE KINDLY ASK YOU TO ANSWER THE FOLLOWING QUESTIONS

ON THE BASIS OF YOUR ANSWERS WE WILL PREPARE AND SEND YOU A NON-BINDING OFFER FOR BIOMONITORING SYSTEM INSTALLATION FOR YOUR COMPANY

I. Data:

1. Name and surname.....
2. Post.....
3. Name of the company.....
.....
4. Address.....
.....
5. Telephone:
fixed.....mobile.....
6. E-mail.....fax.....
7. Source of information about us.....
8. What branch magazines do you read?.....
.....

II. Information about the water intake:

1. Short characteristics of the water intake (type, water intake way):
.....
.....
.....
.....
.....
2. Parameters of raw (untreated) water (scope of fluctuations during a year):
Turbidity.....temperature.....
Parameters characteristic for a particular water intake:.....
.....
.....

III. General questions:

1. Do you use an early warning system about the contamination of the water fed into the water supply system at your water treatment station?
 yes no, because.....
.....
2. If you use a biomonitoring system, what system is it?.....
.....
since when.....\.....\..... and what are the effects? (Please give a mark 1-5, where 5 – very good)
3. Would you like to take part in a non-binding multimedia presentation, in order to get acquainted with an effective, cheap and fully automatized biomonitoring system?
 yes no, because.....
.....
.....
4. In case of confirming the effectiveness and reasonable cost of our biomonitoring system, would you be interested in using the system at your company?
 yes no, because.....
.....

ATTENTION!!!

We kindly ask you to send us this questionnaire by mail, fax or e-mail.

We would like to thank all Companies who have sent us filled in forms.

We invite you to cooperation aiming to help you improve the safety of your water intakes.